] :							
· ·	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Definition
1	BRS	2107	(white calibration) adj (strip member board)	USPAT; US-PGPUB; EPO; JPO	2002/12/19 07:13		
2	BRS	35	<pre>(first second two) adj ((white calibration) adj (strip member board))</pre>	USPAT; US-PGPUB; EPO; JPO	2003/10/21 09:53		
ω	BRS	1	d ((first (white (strip member	USPAT; US-PGPUB; EPO; JPO	2002/12/21 12:23		
42	BRS		(358/496.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))	USPAT; US-PGPUB; EPO; JPO	2002/12/21 12:24	•	
S	BRS	15	4907097.URPN.	USPAT	2002/12/21 13:12		
6	BRS	15	4907097.URPN.	USPAT	2002/12/21 13:36		
7	BRS	ω	("4578711"   "4622594"   "4717963").PN.	USPAT	2002/12/21 13:37		
æ	BRS	H	ADF and (first second two) adj ((white calibration) adj (strip member board))	-PGPUB;	2002/12/23 11:12		
9	BRS	751	358/406.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
10	BRS	392	358/461.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
11	BRS	1767	.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
12	BRS	۲	358/474.ccls. and ((first second two) adj ((white calibration) adj (strip member board)))	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:43		
13	BRS	1	5864408.pn.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:45		
14	BRS	36	<pre>(second near5 ((black white) near5 board))</pre>	USPAT	2003/06/09 11:36		

24	23	22	21	20	19	18	17	16	15	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
343	15401	· H	1	1	4	0	101	1	1	Hits
((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))) and (image adj (reader scanner))	<pre>(correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))</pre>	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp) near5 (intensity quantity bright\$4))	6032864.pn.	("5146351"   "5745253"   "6088138"   "6122077").PN.	6323933.URPN.	<pre>(reference near5 (board strip)) and ((correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp)) near5 (intensity quantity bright\$4))</pre>	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) same (light same (intensity quantity bright\$4))	)	Search Text
USPAT	USPAT	USPAT .	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	DBs
2003/06/09	2003/06/09 16:07	2003/06/09 12:53	2003/06/09	2003/06/09	2003/06/09 11:51	2003/06/09 11:51	2003/06/09	2003/06/09 11:42	2003/06/09	Time Stamp
										Comments
						•		·		Error Definition

33	32	31	30	29	28	27	26	25	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
1434	1445	144763	301318	₽.	18	2	1	<b>,</b>	Hits
(((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and (second (black white reference))	((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))	<pre>(change vary adjust control) near7 (light lamp illumination   intensity bright\$4)</pre>	<pre>(change vary adjust control) same (light lamp illumination   intensity bright\$4)</pre>	((second near5 ((black white) near5 board))) and ((light illumination) near7 control)	("4958825"   "5075539"   "5077585"   "5100022"   "5104109"   "5313312"   "5379095"   "5485263"   "5513017"   "5523848"   "5537214"   "5537219"   "5638189"   "5717200"   "5856879"   "5864408"   "5878319"   "5909290").PN.	5864408.URPN.	5864408.pn.	(((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))) and (image adj (reader scanner))) and (second near5 ((white black) near5 board))	Search Text
USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	DBs
2003/06/09 14:01	2003/06/09	2003/06/09 13:59	2003/06/09 16:16	2003/06/09 13:55	2003/06/09 13:39	2003/06/09	2003/06/09 13:17	2003/06/09 13:17	Time Stamp
									Comments
									Error Definition

41	40	39	38	37	36	35	34	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
0	240	239	12	70	0	0	79	Hits
(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near3 (white adj board))	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and (second near3 (white black))	358/475.ccls. and ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4)))	<pre>difference same ((light near7 second) near5 (white adj board))</pre>	<pre>difference near7 ((light near7 second) near5 (white adj board))</pre>	(((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and ((second (black white reference)) near7 board)	Search Text
USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	DBs
2003/06/10	2003/06/10	2003/06/10 08:48	2003/06/09	2003/06/09	2003/06/09 15:12	2003/06/09 15:12	2003/06/09 15:09	Time Stamp
								Comments
	·							Error Definition

51	50	49	48	47	46	45	44	43	42	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
13	40	1	<b>H</b>	ר	11	13	7	1	0	Hits
((first second two) adj ((white calibration) adj (strip member board))) and ((correct\$3 adjust\$3) same (light\$4 illuminat\$3 lamp bright\$4))	second two) adj ((white ntion) adj (strip member	5099341.pn.	5099341.pn. and ((first second) near7 (white adj reference))	5099341.pn.	5099341.URPN.	("4660082"   "4829379"   "4868685"   "4870501"   "4916549"   "4989100"   "5062144"   "5070414"   "5099341"   "5101281"   "5105286"   "5146351"	5249068.URPN.	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near7 ((white reference black) near5 board))	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near3 ((white reference black) adj board))	Search Text
USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT	USPAT	USPAT	USPAT	TAASN	USPAT	USPAT	USPAT	DBs
2003/10/21	2003/10/21 09:54	2003/06/13 11:03	2003/06/11 16:51	2003/06/11 16:49	2003/06/10 11:57	2003/06/10 09:07	2003/06/10 08:58	2003/06/10 08:53	2003/06/10 08:52	Time Stamp
										Comments
			-						·	Error Definition

56 BRS 57 BRS 58 BRS	7 6	თ		55 BRS	54 BRS	53 BRS	52 BRS	н
_	S O	S 80		SS 4		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	°S	Туре
		0	3832		6389			Hits
	((picture adj reader) and flux) and cannon	(picture adj reader) and flux	picture adj reader	<pre>((first second two) adj ((white calibration) adj (strip member board)) ) and ((adjust\$3 control\$4 decreas\$3) increas\$3) same ((light illumination lamp) near5 (voltage power intensity luminenance)))</pre>	<pre>ccd and ((adjust\$3 control\$4 decreas\$3 increas\$3) with ((light illumination lamp) near5 (voltage power intensity luminenance)))</pre>	adj n) adj d)) and \$4 decreas\$3 light near5	((first second two) adj ((white calibration) adj (strip member board))) and ((adujust\$3 control\$4 decreas\$3 increasing) with ((light illumination lamp) near5 (voltage power intensity luminenance)))	Search Text
	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	DBs
	2003/10/21 12:43	2003/10/21 12:42	2003/10/21 12:42	2003/10/21 12:41	2003/10/21 11:09	2003/10/21 11:09	2003/10/21 11:08	Time Stamp
_								Comments
	,				·			Error Definition

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
60	BRS	1	(((picture adj reader) and flux) and canon) and (white adj board)	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:43		
61	BRS	7257	<pre>(reference near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))</pre>	USPAT	2003/10/22 15:11		
62	BRS	. 80 60	((first adj reference) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	USPAT	2003/10/22 15:41		
<sub>သ</sub>	BRS	6	((first adj calibration) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	USPAT	2003/10/22 15:47		
64	BRS	351	358/475.ccls.	USPAT	2003/10/22 15:48		
65	BRS	288	358/475.ccls. and first and second	USPAT	2003/10/22 15:48		
66	BRS	57	(358/475.ccls. and first and second) and calibrat\$3	USPAT	2003/10/22 15:49		
67	BRS	45	358/475.ccls. and (white adj (reference board plate paper))	USPAT	2003/10/23 08:50		
89	BRS	39	(358/475.ccls. and (white adj (reference board plate paper))) and ((adjust\$3 control\$4) same (power light illumination lamp))	USPAT	2003/10/23 11:08		
69	BRS	1	5099341.pn.	TAGSU	2003/10/23 11:10		
70	BRS	1	5099341.pn. and light and adjust\$3 and circuit	USPAT	2003/10/23 11:11		